

Common Terminal Shell Commands

Navigation Commands	
pwd	Print working directory
cd <folder>	Change directory to <folder>
cd ..	Change directory to parent folder
cd	Change directory to home folder
ls	List subfolders and files
ls -a	List ALL subfolders and files

Software Control Commands	
sudo apt update	Refreshes upgradable package list and prints
sudo apt upgrade	Performs available upgrades
sudo apt (re)install <program(s)>	Installs <program(s)> and dependencies
sudo apt remove <program(s)>	Uninstalls <program(s)>
sudo apt autoremove	Uninstalls unneeded dependencies
apt search <program>	Searches repos for <program>
apt list --installed	Lists installed packages
flatpak update	Performs upgradable flatpak upgrades
flatpak install <program>	Installs <program> flatpak if found
flatpak remove <program>	Uninstalls <program> flatpak if found
flatpak remove --unused	Uninstalls unneeded dependencies
flatpak search <program>	Searches flatpak repos for <program>
flatpak list	Lists installed flatpaks

Other Commands	
man <command>	Displays the manual for <command> if found
exit	Closes terminal window
clear	Clears the terminal window
cat <file>	Prints <file> to the terminal as ASCII
cp <source> <copy>	Makes a copy of <source> file called <copy>
mv <source> <path>	Moves/renames <source> to <path>
mkdir <directory>	Makes empty folder called <directory>
rmdir (-r) <directory>	Deletes folder called <directory> (+ contents)
touch <file>	Makes an empty file called <file>
rm <file>	Deletes a file called <file>

Fun Commands	
cowsay <quote>	Prints an ascii cow to say <quote>
fortune	Prints a random 'fortune cookie' quote
sl	If you mistype ls, will display a train animation